

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name or designation of the mixture	Grant Solar Fluid (GS222075/GS222076)
Registration number	-
Synonyms	None
Issue date	10-December-2023
Version number	04.01

1.2. Relevant identified uses of the substance or mixture and uses advised against Identified uses Solar Fluid

Uses advised against	None known

1.3. Details of the supplier of the safety data sheet

no. Detaile of the supplier of th	
Supplier	
	Grant Engineering (UK) Limited
	Frankland Road, Blagrove, Swindon
	Wiltshire, SN5 8YG, UK
	Telephone: +44 1380 736 920
1.4. Emergency Contacts	United Kingdom: Guy's & St Thomas Poisons Medical Toxicology Unit, Avonley Rd, London, UK Emergency Telephone: +44 20 7188 7188

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary Low hazard for usual industrial or commercial handling by trained personnel.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not assigned.
Response	Not assigned.
Storage	Not assigned.
Disposal	Not assigned.
Supplemental label information	None.
2.3. Other hazards	Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Propane-1,2-diol	35 - 40	57-55-6 200-338-0	01-2119456809-23-XXXX	-	

Classification: N/a

-List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

Composition comments All concentrations are in percent by weight.

SECTION 4: First aid measures

General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
4.1. Description of first aid meas	sures
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Remove contact lenses, if present and easy to do.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
4.2. Most important symptoms and effects, both acute and delayed	Exposure may cause temporary irritation, redness, or discomfort.
4.3. Indication of any immediate medical attention and special treatment needed	Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards	No unusual fire or explosion hazards noted.
5.1. Extinguishing media Suitable extinguishing media	Alcohol resistant foam. Powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	Thermal decomposition may produce smoke, oxides of carbon and lower molecular weight organic compounds whose composition have not been characterised.
5.3. Advice for firefighters Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, prote For non-emergency personnel	ctive equipment and emergency procedures Keep unnecessary personnel away.	
For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.	
6.2. Environmental precautions	Avoid discharge into drains, water courses or onto the ground.	
6.3. Methods and material for containment and cleaning up	Use water spray to reduce vapours or divert vapour cloud drift.	
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills to original containers for re-use.	
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.	

SECTION 7: Handling and storage

SECTION 7. Handling and	siorage			
7.1. Precautions for safe handling	Observe go	od industrial hygiene pra	ctices.	
7.2. Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).			
7.3. Specific end use(s)	Antifreeze / Coolant.			
SECTION 8: Exposure con	trols/pers	onal protection		
8.1. Control parameters				
Occupational exposure limits				
UK. EH40 Workplace Exposı Components	ure Limits (V	/ELs) Type	Value	Form
Propane-1,2-diol (CAS 57-55-6)		TWA	474 mg/m3	Total vapour and particulates.
			10 mg/m3	Particulate.
			150 ppm	Total vapour and particulates.
Biological limit values	No biologic	al exposure limits noted f	or the ingredient(s).	
Recommended monitoring procedures	Follow stan	dard monitoring procedu	res.	
Derived no effect levels (DNELs)				
General Population				
Components	_	Value	Assessment factor	Notes
Propane-1,2-diol (CAS 57-55-	-	10 / 0	45	
Long-term, Local, Inhalati Long-term, Systemic, Inha		10 mg/m3 50 mg/m3	15 5	Repeated dose toxicity Repeated dose toxicity
Workers		50 mg/m5	5	Repeated dose toxicity
Components		Value	Assessment factor	Notes
Propane-1,2-diol (CAS 57-55-	6)			
Long-term, Local, Inhalati Long-term, Systemic, Inha		10 mg/m3 168 mg/m3	9 3	Repeated dose toxicity Repeated dose toxicity
Predicted no effect concentratio	ns (PNECs)			
Components	_	Value	Assessment factor	Notes
Propane-1,2-diol (CAS 57-55-	6)			
Freshwater		260 mg/l	50	
Intermittent releases Marine water		183 mg/l 26 mg/l	500	
Sediment (freshwater)		572 mg/kg		
Sediment (marine water)		57.2 mg/kg		
Soil		50 mg/kg	4	
STP 3.2. Exposure controls		20000 mg/l	1	
Appropriate engineering controls	should be n or other eng	natched to conditions. If a gineering controls to mair	0 air changes per hour) should applicable, use process enclos ntain airborne levels below reca lished, maintain airborne levels	ures, local exhaust ventilation, ommended exposure limits. If
ndividual protection measures,	such as pers	sonal protective equipn	nent	
General information			Id be chosen according to the ersonal protective equipment.	CEN standards and in
Eye/face protection	Wear safety	glasses with side shield	s (or goggles).	
Skin protection				
- Hand protection	Not normall contaminati		protective clothing as protection	on against splashing or
- Other	Wear suitat	le protective clothing.		
Respiratory protection	In case of ir	sufficient ventilation, we	ar suitable respiratory equipme	ent.
Thermal hazards	Wear appro	priate thermal protective	clothing, when necessary.	
Hygiene measures	and before	eating, drinking, and/or s	ene measures, such as washin moking. Routinely wash work o	
Grant Solar Fluid		eating, drinking, and/or s to remove contaminants.	moking. Routinely wash work o	clothing and protective

Environmental exposure controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physic	al and chemical properties		
Appearance			
Physical state	Liquid.		
Form	Liquid.		
Colour	Green.		
Odour	Mild.		
Odour threshold	Not determined.		
рН	7.5 – 9.5 (20°C) (Typical)		
Melting point/freezing point	Not applicable. / Not determined.		
Initial boiling point and boiling range	164 °C (327.2 °F) (Typical)		
Flash point	103.0 °C (217.4 °F) Pensky-Martens Closed Cup (Approximate)		
Evaporation rate	Not determined.		
Flammability (solid, gas)	Not applicable.		
Upper/lower flammability or explosive limits			
Flammability limit - lower (%)	Not determined.		
Flammability limit - upper (%)	Not determined.		
Vapour pressure	Not determined.		
Vapour density	Not determined.		
Relative density	Not determined.		
Solubility(ies)	Miscible.		
Partition coefficient (n-octanol/water)	Not determined.		
Auto-ignition temperature	Not determined.		
Decomposition temperature	Not determined.		
Viscosity	Not determined.		
Explosive properties	Not explosive.		
Oxidising properties	Not oxidising.		
9.2. Other information			
Density	1.051 kg/l (20 °C) (Typical)		
SECTION 10: Stability and reactivity			

-	•
10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Strong acids. Nitrates. Peroxides. Chlorates.
10.6. Hazardous decomposition products	At elevated temperatures: Ketones. Aldehydes.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of e	xposure
Inhalation	In high concentrations, mists/vapours may irritate throat and respiratory system and cause coughing.
Skin contact	Prolonged or repeated contact may dry skin and cause irritation.
Eye contact	Direct contact with eyes may cause temporary irritation.

Ingestion	Ingestion of propylene glycol may result in nausea, v high levels of vapour or mists for prolonged periods	U	
Symptoms	Exposure may cause temporary irritation, redness, or discomfort.		
11.1. Information on toxicologic	al effects		
Acute toxicity			
Product	Species	Test Results	
Grant Solar Fluid (Mixture)			
Acute			
Oral			
LD50		> 5000 mg/kg	
Components	Species	Test Results	
Propane-1,2-diol (CAS 57-55-6)			
Acute			
Dermal			
LD50	Rabbit	20800 mg/kg	
Oral			
LD50	Rat	20000 mg/kg	
Skin corrosion/irritation	Based on available data, the classification criteria ar	e not met.	
Serious eye damage/eye irritation	Based on available data, the classification criteria ar	e not met.	
Respiratory sensitisation	Based on available data, the classification criteria are not met.		
Skin sensitisation	Based on available data, the classification criteria are not met.		
Germ cell mutagenicity	Based on available data, the classification criteria ar	e not met.	
Carcinogenicity	Based on available data, the classification criteria ar	e not met.	
Reproductive toxicity	Based on available data, the classification criteria ar	e not met.	
Specific target organ toxicity - single exposure	Based on available data, the classification criteria ar	e notmet.	
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria ar	e not met.	
Aspiration hazard	Due to partial or complete lack of data the classificat	tion is not possible.	
Mixture versus substance information	No information available.		
Other information	No data available.		

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic environment.

Components		Species	Test Results
Propane-1,2-diol (CAS 57-55-6)			
Aquatic			
Algae E	EC50	Pseudokirchneriella subcapitata	19000 mg/l, 96 Hours
Crustacea E	EC50	Daphnia magna	> 10000 mg/l, 48 Hours
Fish L	LC50	Fathead minnow (Pimephales promelas)	710 - 55770 mg/l, 96 Hours
12.2. Persistence and degradability	Expected to be	e readily biodegradable.	
12.3. Bioaccumulative potential	No data availa	ble.	
Partition coefficient n-octanol/water (log Kow) Propane-1,2-diol (CAS 57-55-6)	-0.92		
Bioconcentration factor (BCF)	Not available.		
12.4. Mobility in soil	No data availa	ble.	
12.5. Results of PBT and vPvB assessment	Not a PBT or v	/PvB substance or mixture.	
12.6. Other adverse effects	No data availa	ble.	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	EWC: 16 01 14
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

ΙΑΤΑ

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods. **4.7. Transport in bulk** Not established.

14.7. Transport in bulkNot estaaccording to Annex II ofMARPOL 73/78 and the IBCCode

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended Not listed.

Other regulations	The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.	
	All components of this product are compliant with the registration requirements of Regulation (EC) 1907/2006 on the Registration, Evaluation, Authorization and Restriction of Chemicals, as amended.	
	All components comply with the following chemical inventory requirements: AICS (Australia), DSL (Canada), EINECS (European Union), ENCS (Japan), IECSC (China), KECI (Korea), PICCS (Philippines), TSCA (United States), TCSI (Taiwan), NZIoC (New Zealand).	
National regulations	This product is not classified according to current European Union regulations. Follow national regulation for work with chemical agents.	
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.	
SECTION 16: Other information		
List of abbreviations		
	TWA: Time weighted average.	
	DNEL: Derived No-Effect Level.	
	PNEC: Predicted No-Effect Concentration.	
	STP: Sewage treatment plant.	
	LD50: Lethal Dose, 50%.	
	EC50: Effective Concentration, 50%.	
	LC50: Lethal Concentration, 50%.	
	PBT: Persistent, bioaccumulative and toxic.	
	vPvB: Very Persistent and very Bioaccumulative.	
References	ECHA CHEM	
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.	
Full text of any H-statements not written out in full under Sections 2 to 15	None.	
This SDS contains revisions in the following section(s):	1	
Training information	Follow training instructions when handling this material.	
Disclaimer	Grant Engineering UK cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.	